

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Provider Number	Hospital Name
170040	UNIVERSITY OF KANSAS HOSPITAL
260048	TRUMAN MEDICAL CENTER HOSPITAL HILL
260138	ST LUKES HOSPITAL OF KANSAS CITY

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Address 1	City	State
3901 RAINBOW BLVD	KANSAS CITY	KS
2301 HOLMES STREET	KANSAS CITY	MO
4401 WORNALL ROAD	KANSAS CITY	MO

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

ZIP Code
66160
64108
64111

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Death from serious treatable complications after surgery

No Different than U.S. National Rate

Number of Cases Too Small

No Different than U.S. National Rate

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death from serious treatable complications after surgery

Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Collapsed lung due to medical treatment

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Footnote - Collapsed lung due to medical treatment

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Breathing failure after surgery

Worse than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Footnote - Breathing failure after surgery

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Serious blood clots after surgery

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious blood clots after surgery

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

A wound that splits open after surgery

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Footnote - A wound that splits open after surgery

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Accidental cuts and tears from medical treatment

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Footnote - Accidental cuts and tears from medical treatment

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Serious Complications

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious Complications

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death after surgery to repair a weakness in the abdominal aorta

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Deaths after admission for broken hip

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths after admission for broken hip

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Deaths from Certain Conditions

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths from Certain Conditions

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

Suppressed for one or more quarters by CMS.

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death from serious treatable complications after surgery

370

15

259

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Rate - Death from serious treatable complications after surgery

101.40

Not Available

112.30

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death from serious treatable complications after surgery

75.37

Not Available

87.04

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death from serious treatable complications after surgery

127.43

Not Available

137.56

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Collapsed lung due to medical treatment


15453

4456

14648


KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures



KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures



KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Collapsed lung due to medical treatment

0.56

0.69

0.73

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Breathing failure after surgery

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Rate - Breathing failure after surgery

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Breathing failure after surgery

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Breathing failure after surgery

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious blood clots after surgery


6953

561

5671

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures



KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious blood clots after surgery

3.39

1.17

3.07

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious blood clots after surgery

5.85

8.73

5.97

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - A wound that splits open after surgery


860

108

636


KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures




KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures



KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures



KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Accidental cuts and tears from medical treatment

16854

4582

15674

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Rate - Accidental cuts and tears from medical treatment

1.80

3.30

3.57

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Accidental cuts and tears from medical treatment

1.17

1.77

2.90

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Accidental cuts and tears from medical treatment

2.43

4.83

4.24

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious Complications

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious Complications

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious Complications

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious Complications

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths after admission for broken hip

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths after admission for broken hip

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths after admission for broken hip

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths after admission for broken hip

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths from Certain Conditions

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths from Certain Conditions

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths from Certain Conditions

Not Available

Not Available

Not Available

KC Cohort 1

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths from Certain Conditions

Not Available

Not Available

Not Available